

## Kumar Om Prakash/EHS/Ankleshwar

---

**From:** Kumar Om Prakash/EHS/Ankleshwar  
**Sent:** 18 November 2025 12:19  
**To:** 'Shri. V N Ambade'; 'srotarapur2@mpcb.gov.in'; 'Pratik Bharne'; 'ecompliance-mh@gov.in'; 'srotarapur1@gov.in'  
**Cc:** Mritunjay Chaubey/EHS/Navi Mumbai; Purvesh Jitendra Kumar Soni/EHS/Ankleshwar; Sharad P Sankhe/Manufacturing/Ankleshwar; Anil Champalalji Mundada/Manufacturing/Ankleshwar; Sagar Mohan Pimple/EHS/Tarapur; Kamlesh Ratilal Panchal/EHS/Ankleshwar  
**Subject:** Superform Chemistries Limited (Unit 10) - Half yearly Compliance Report to conditions of Environmental Clearances (April 2025 to September 2025) located at Plot No # E 51-1&2, E 52, MIDC Notified Industrial Estate, Tarapur, Boisar, District-Palghar  
**Attachments:** U\_10\_EC\_Half\_Yearly\_Compliance\_Report\_For\_APR\_2025\_TO\_SEPT\_2025..pdf

<b>Tracking:</b>	<b>Recipient</b>	<b>Delivery</b>
	'Shri. V N Ambade'	
	'srotarapur2@mpcb.gov.in'	
	'Pratik Bharne'	
	'ecompliance-mh@gov.in'	
	'srotarapur1@gov.in'	
	Mritunjay Chaubey/EHS/Navi Mumbai	Delivered: 18-11-2025 12:19
	Purvesh Jitendra Kumar Soni/EHS/Ankleshwar	Delivered: 18-11-2025 12:19
	Sharad P Sankhe/Manufacturing/Ankleshwar	Delivered: 18-11-2025 12:19
	Anil Champalalji Mundada/Manufacturing/Ankleshwar	Delivered: 18-11-2025 12:19
	Sagar Mohan Pimple/EHS/Tarapur	Delivered: 18-11-2025 12:19
	Kamlesh Ratilal Panchal/EHS/Ankleshwar	Delivered: 18-11-2025 12:19

To,  
The Director,  
Ministry of Environment, Forest & Climate Change  
Integrated Regional Office  
Western Region, Ground Floor, East Wing,  
New Secretariat Building, Civil line  
Nagpur- 440001, Maharashtra

**Date: 18/11/2025**

**BY EMAIL**

**Sub: Superform Chemistries Limited (Unit 10) - Half yearly Compliance Report to conditions of Environmental Clearances (April 2025 to September 2025)**

Ref: (1) EC obtained from MoEF vide letter no J-11011/7/2017-IA II(I) dated 17.01.2020 & Amendment dated 15.10.2020  
(2) Transfer of Environmental Clearance from UPL Limited to Superform Chemistries Limited Vide Environmental Clearance **Identification No. EC25A2001MH5629132T** dated 03/07/2025 granted by MOEF&CC, New Delhi.  
(3) MoEF &CC Notification No. S.O 5845(E) dated 26th November,2018

Respected Sir,

Kindly refer above Environmental Clearance **(Ref 1)** and Transfer of Environmental Clearance **(Ref 2)** granted to our Unit located at located at Plot No # E 51-1&2, E 52, MIDC Notified Industrial Estate, Tarapur, Boiser, District Palghar (Maharashtra)

We are submitting herewith the half yearly compliance Report for the period **April 2025 to September 2025** in Soft Form along with the covering letter to the following Environmental Clearance obtained from Ministry of Environment, Forest & Climate Change.

(1) EC obtained from MoEF vide letter no J-11011/7/2017-IA II(I) dated 17.01.2020 & Amendment dated 15.10.2020  
(2) Transfer of Environmental Clearance from UPL Limited to Superform Chemistries Limited Vide Environmental Clearance **Identification No. EC25A2001MH5629132T** dated 03/07/2025 granted by MOEF&CC, New Delhi.

As per MoEF&CC Circular No SO 5845 (E) dated 26/11/2018, A soft copy is enclosed containing our compliance report.

Now in compliance to MOEF&CC OM No. IA3-22/1/2022-IA-III [E-172624] dated 14th June 2022, we have uploaded and Submitted compliance of conditions to Granted Environmental Clearance at Parivesh 2.0 portal. The compliance report uploaded at portal is enclosed herewith.

We hope above is in order.

Thanking You,  
Your Faithfully,

Sharad Sankhe  
Unit Head  
Superform Chemistries Limited (Unit 10)

Enclosed: Soft Copy of Half Yearly Compliance Report for **April 2025 to September 2025**.

Copy To: -Maharashtra Pollution Control Board— Boiser  
-Regional Director, Central Pollution Control Board (CPCB) Pune



To,  
The Director,  
Ministry of Environment, Forest & Climate Change  
Integrated Regional Office  
Western Region, Ground Floor, East Wing,  
New Secretariat Building, Civil line  
Nagpur — 440001, Maharashtra

Date: 29/10/2025

BY EMAIL

Sub: Superform Chemistries Limited (Unit 10) - Half yearly Compliance Report to conditions of Environmental Clearances (**April 2025 to September 2025**)

Ref: (1) EC obtained from MoEF vide letter no J-11011/7/2017-IA II(I) dated 17.01.2020 & Amendment dated 15.10.2020  
(2) Transfer of Environmental Clearance from UPL Limited to Superform Chemistries Limited Vide Environmental Clearance **Identification No. EC25A2001MH5629132T** dated 03/07/2025 granted by MOEF&CC, New Delhi.  
(3) MoEF &CC Notification No. S.O 5845(E) dated 26th November,2018

Respected Sir,

Kindly refer above Environmental Clearance (**Ref 1**) and Transfer of Environmental Clearance (**Ref 2**) granted to our Unit located at located at Plot No # E 51-1&2, E 52, MIDC Notified Industrial Estate, Tarapur, Boisar, District Palghar (Maharashtra)

We are submitting herewith the half yearly compliance Report for the period **April 2025 to September 2025** in Soft Form along with the covering letter to the following Environmental Clearance obtained from Ministry of Environment, Forest & Climate Change.

(1) EC obtained from MoEF vide letter no J-11011/7/2017-IA II(I) dated 17.01.2020 & Amendment dated 15.10.2020  
(2) Transfer of Environmental Clearance from UPL Limited to Superform Chemistries Limited Vide Environmental Clearance **Identification No. EC25A2001MH5629132T** dated 03/07/2025 granted by MOEF&CC, New Delhi.

As per MoEF&CC Circular No SO 5845 (E) dated 26/11/2018, A soft copy is enclosed containing our compliance report.

Now in compliance to MOEF&CC OM No. IA3-22/1/2022-IA-III [E-172624] dated 14th June 2022, we have uploaded and Submitted compliance of conditions to Granted Environmental Clearance at Parivesh 2.0 portal. The compliance report uploaded at portal is enclosed herewith.

We hope above is in order.

Thanking You,

Your Faithfully,

Sharad Sankar

Unit Head

Superform Chemistries Limited (Unit 10)

Enclosed: Soft Copy of Half Yearly Compliance Report for April 2025 to September 2025.

Copy To: Maharashtra Pollution Control Board— Boisar  
Regional Director, Central Pollution Control Board (CPCB) Pune

**Registered Office**

Superform Chemistries Limited (Formerly UPL Speciality Chemicals Limited)  
Uniphos House, Madhu Park, C.D. Marg, 11th Road, Khar West,  
Mumbai - 400 052, Maharashtra, India. CIN U24110MH2022PLC383012  
Tel: +91 22 6866 8000 | Fax: 2604 1010/0303

E-51-1/2, E-52, MIDC Tarapur, Boisar, Dist. Palghar - 401 506,  
Maharashtra, India, Tel: +91 2525 661175 / 66184  
[www.superformchemistries.com](http://www.superformchemistries.com)

Public

**Your (Half Yearly Compliance Report) has been Submitted with following details**

<b>Proposal No</b>	IA/MH/IND3/524878/2025
<b>Compliance ID</b>	132551454
<b>Compliance Number(For Tracking)</b>	EC/M/COMPLIANCE/132551454/2025
<b>Reporting Year</b>	2025
<b>Reporting Period</b>	01 Dec(01 Apr - 30 Sep)
<b>Submission Date</b>	29-10-2025
<b>RO/SRO Name</b>	Shri Senthil Kumar Sampath
<b>RO/SRO Email</b>	agmu156@ifs.nic.in
<b>State</b>	MAHARASHTRA
<b>RO/SRO Office Address</b>	Integrated Regional Offices, Nagpur

**Note:-** SMS and E-Mail has been sent to Shri Senthil Kumar Sampath, MAHARASHTRA with Notification to Project Proponent.

Back

### View Half Yearly Compliance Report at Project Proponent

#### Proposal Details

<b>Proposal No</b>	IA/MH/IND3/524878/2025	<b>Category</b>	Industrial Projects - 3		
<b>Name of Project</b>	Environmental Clearance Transfer from M/s UPL Limited-Unit 10 to M/s Superform Chemistries Limited (Unit-10)				
<b>Plot / Survey/ Khasra No.</b>	E51-1 & 2, E52	<b>Village(s)</b>	Salwa	<b>Sub-District(s)</b>	Palghar
<b>State</b>	MAHARASHTRA	<b>District</b>	PALGHAR		
<b>MoEF File No</b>	IA-J-11011/7/2017-IA II(I)	<b>Name of the Entity/ Corporate Office</b>	M/s Superform Chemistries Limited (Unit-10)	<b>Entity's PAN</b>	*****0994M
<b>Entity Name as per PAN</b>	SUPERFORM CHEMISTRIES LIMITED	<b>Entity details mentioned above is correct ?</b>	Agree		

#### Covering Letter

**Covering Letter** [Click to View](#)

#### Compliance Reporting Details

<b>Reporting Year</b>	2025	<b>Reporting Period</b>	01 Dec(01 Apr - 30 Sep)
<b>Remark(if any)</b>	We are submitting herewith EC Half Yearly Compliance Report for the period of April-2025 to September-2025.		

#### Details of Production and Project Area

##### Date of Commencement of Project/Activity

	Project Area as per EC Granted(ha.)	Actual Project Area in Possession(ha.)
Private	0	0
Revenue Land	0	0
Forest	0	0

Others	3.3454	3.3454
Total	3.3454	3.3454

**Land Documents** NA

Sr.No.	Name of the Product	Units	As per EC Granted	As per CTO Granted	CTO ID	Valid Up To	Production during last financial year
1	Pesticides Intermediates	Tons per Annum (TPA)	18900	5568	RED/L.S.I (R37) No:- Format1.0/CC/UAN No.0000240937/CR/2505004147	30-04-2030	0
2	Pesticides Technical	Tons per Annum (TPA)	25920	12960	RED/L.S.I (R37) No:- Format1.0/CC/UAN No.0000240937/CR/2505004147	30-04-2030	3418.6

**Conditions**
**Specific Conditions**

Sr.No.	Condition Heading	Condition Details	Status of Compliance,Remarks / Reason and Supporting Documents	
1	Statutory compliance	The expansion of environmental clearance will automatically become invalid in case of non-renewal of lease agreement with M/S PCCPL and consequent withdrawal of earlier environmental clearance transfer.	PPs Submission	The UPL Limited has executed Deed of Assignment for Lease made between M/s PCCPL and M/s UPL Limited on 12/3/2020 and Copy of Same has been submitted to MoEFCC, New Delhi on 16/3/2020. The copy of Deed of Assignment of Lease Submitted to MoEFCC is attached Complied 29-10-2025 Attachment: <a href="#">Click to View</a>
2	Statutory compliance	Consent to Establish/Operate (CTE/CTO) for the project shall be obtained from the State Pollution Control Board (SPCB) as required under the Air (Prevention and Control of Pollution) Act, 1981 and the Water (Prevention and Control of Pollution) Act, 1974, and the SPCB shall follow the mechanism/protocol issued by the Ministry vide letter no. Q-16017/38/2018-CPA dated 24th October, 2019 and forwarded by Central Pollution Control Board vide letter dated 25th October, 2019 to the SPCB's, while issuing the CTE/CTO for the project, for improvement of environmental quality in the area.	PPs Submission	The EC was granted on 17/1/2020 and We have obtained Consent To Establish From MPCB for EC Approved Products vide order No Format 1.0/BO/CAC-Cell/UAN No 0000054563/E/8th CAC- 1905000900 dated 16/5/2019 and Its Amendment No MPCB/UAN No. 0000054563/CACCell/ Amen/CAC-0478 dated 16/5/2019. We have started construction activities for implementation of Project and we have obtained consent to operate for few products for expansion quantity vide MPCB CTO Formatl.0/CC/UAN No.0000240937 /CR/250500414 7 dated 29/05/2025 valid till 30/04/2030. Complied 29-10-2025 Attachment:NA

3	Statutory compliance	Necessary permission as mandated under the Water (Prevention and Control of Pollution) Act, 1974 and the Air (Prevention and Control of Pollution) Act, 1981, as applicable from time to time, shall be obtained from the State Pollution Control Board.	PPs Submission	The EC was granted on 17/1/2020 and We have obtained Consent To Establish From MPCB for EC Approved Products vide order No Format 1.0/BO/CAC-Cell/UAN No 0000054563/E/8th CAC- 1905000900 dated 16/5/2019 and Its Amendment No MPCB/UAN No. 0000054563/CACCell/ Amen/CAC-0478 dated 16/5/2019. We have started construction activities for implementation of Project and we have obtained consent to operate for few products for expansion quantity vide MPCB CTO Formatl.0/CC/UAN No.0000240937 /CR/250500414 7 dated 29/05/2025 valid till 30/04/2030. Complied 29-10-2025 Attachment:NA
4	WATER QUALITY MONITORING AND PRESERVATION	As already committed by the project proponent, Zero Liquid Discharge shall be ensured and no waste/treated water shall be discharged outside the premises.	PPs Submission	The Unit has implemented Zero Liquid Discharge (ZLD) unit consisting New ETP, RO system and MEE since Aug -2017 and will continue with ZLD after proposed expansion. No treated wastewater will be discharged from Unit. Complied 29-10-2025 Attachment:NA
5	WASTE MANAGEMENT	Necessary authorization required under the Hazardous and Other Wastes (Management and Trans-Boundary Movement) Rules, 2016, Solid Waste Management Rules, 2016 shall be obtained and the provisions contained in the Rules shall be strictly adhered to.	PPs Submission	The EC was granted on 17/1/2020 and We have obtained Consent To Establish From MPCB for EC Approved Products vide order No Format 1.0/BO/CAC-Cell/UAN No 0000054563/E/8th CAC- 1905000900 dated 16/5/2019 and Its Amendment No MPCB/UAN No. 0000054563/CACCell/ Amen/CAC-0478 dated 16/5/2019. We have started construction activities for implementation of Project and we have obtained consent to operate for few products for expansion quantity vide MPCB CTO Formatl.0/CC/UAN No.0000240937 /CR/250500414 7 dated 29/05/2025 valid till 30/04/2030. The Half Yearly Hazardous Waste Disposal Details for Reporting Period with TSDF Membership is attached herewith. Complied 29-10-2025 Attachment: <a href="#">Click to View</a>
6	AIR QUALITY MONITORING AND PRESERVATION	National Emission Standards for Pesticides Manufacturing Industry issued by the Ministry vide G.S.R.446(E) dated 13th June, 2011, as amended from time to time, shall be followed.	PPs Submission	The Compliance to G.S.R.446(E) dated 13th June, 2011, as amended from time to time is attached. All Values well within the limit. Complied 29-10-2025 Attachment: <a href="#">Click to View</a>
7	Statutory compliance	No pesticides/chemicals banned by the Ministry of Agriculture and Farmers Welfare or having LD50 less than 100 mg/kg shall be produced. Also, no raw material/solvent prohibited by the concerned regulatory authorities from time to time, shall be used for production of pesticides.	PPs Submission	The unit does not manufacture any pesticide technical banned by the Ministry of Agriculture and Farmers Welfare or any pesticide of chemical having LD50 less than 100 mg/kg. The summarized detail of LD50 of various products are given in attachment. Complied 29-10-2025 Attachment: <a href="#">Click to View</a>

8	AIR QUALITY MONITORING AND PRESERVATION	To control source and the fugitive emissions, suitable pollution control devices shall be installed to meet the prescribed norms and/or the NAAQS. The gaseous emissions shall be dispersed through stack of adequate height as per CPCB/SPCB guidelines.	PPs Submission	The Unit has installed online monitoring system for fugitive emissions. The unit has installed online sensor/detector for Chlorine, Bromine, Methyl Bromide and Methanol. Also, Unit has conducted Workplace Monitoring through third party. The Analysis reports are attached. All Values are well within limits. Complied 29-10-2025 Attachment: <a href="#">Click to View</a>
9	AIR QUALITY MONITORING AND PRESERVATION	Coal with Sulphur content less than 0.5 percent or natural gas/ lignite/ biofuel/ briquettes/ bagasse /agro waste, shall be used as fuel in the boiler. LSHS/LDO/NG shall be used as fuel in place of furnace oil.	PPs Submission	The unit uses Coal with Sulphur content less than 0.5 percent as fuel in the boiler. Furnace oil is not used as fuel in the unit. The monthly coal consumption is given in attachment for reporting period. Complied 29-10-2025 Attachment: <a href="#">Click to View</a>
10	MISCELLANEOUS	Solvent management shall be carried out as follows: (a) Reactor shall be connected to chilled brine condenser system (b) Reactor and solvent handling pump shall have mechanical seals to prevent leakages (c) The condensers shall be provided with sufficient HTA and residence time so as to achieve more than 95 percent recovery (d) Solvents shall be stored in a separate space specified with all safety measures. (e) Proper earthing shall be provided in all the electrical equipment wherever solvent handling is done. Entire plant shall be flame proof. (f) The solvent storage tanks shall be provided with breather valve to prevent losses (g) All the solvent storage tanks shall be connected with vent condensers with chilled brine circulation.	PPs Submission	We have implemented solvent management plan. The details are attached. Complied 29-10-2025 Attachment: <a href="#">Click to View</a>
11	WATER QUALITY MONITORING AND PRESERVATION	Total fresh water requirement shall not exceed 498cum/day to be met from MIDC water supply. Prior permission in this regard shall be obtained from the concerned regulatory authority.	PPs Submission	We are receiving fresh water supply from Maharashtra Industrial development Corporation (MIDC), Surya Water Reservoir. Our water consumption is well within the limit prescribed by MPCB. The Average water consumption is 91.84 KLD against Maharashtra Pollution Control Board (MPCB) permissible limit of 271.41 KLD for period Apr-25 to Sept-25. The monthly and daily summarized details of water consumption are given in a Table Below. The copy of Monthly Water Bill is attached herewith as Annexure. Complied 29-10-2025 Attachment: <a href="#">Click to View</a>
12	WATER QUALITY MONITORING AND PRESERVATION	Industrial/trade effluent shall be segregated into High COD/TDS and Low COD/TDS effluent streams. High	PPs Submission	All effluent streams are/will be segregated and treated accordingly in Effluent Treatment Plant (ETP) / RO / MEE. High TDS low COD effluent stream is/will be segregated and treated in Multi Effect Evaporator. Low COD, low TDS effluent stream from Boiler, Cooling Tower, Metribuzin Plant, Sewage effluent etc., treated in

		TDS/COD shall be passed through stripper followed by MEE and organic stripper. Low TDS effluent stream shall be treated in ETP/RO to meet the prescribed standards.		Effluent treatment plant followed by Reverse Osmosis system. The Effluent treatment plant consists of primary, Secondary and tertiary treatment; and all parameters are/will be well within limit. The permeate from is/will be recycled back in the process, cooling tower and green belt development and reject stream is sent to evaporation and the salt generated from evaporation is/will be sent to TSDF site for landfilling. Toxic and organic COD effluent stream is/will be sent for Common Incineration. The details of ETP is attached herewith. Complied 29-10-2025 Attachment: <a href="#">Click to View</a>
13	WATER QUALITY MONITORING AND PRESERVATION	Process effluent/any wastewater shall not be allowed to mix with storm water. The storm water from the premises shall be collected and discharged through a separate conveyance system.	PPs Submission	The unit has separate drainage network for storm water to collect runoff rainwater and discharge through separate conveyance system to prevent mixing of any effluent / wastewater. Complied 29-10-2025 Attachment:NA
14	Risk Mitigation and Disaster Management	Hazardous chemicals shall be stored in tanks, tank farms, drums, carboys etc. Flame arresters shall be provided on tank farm, and solvent transfer through pumps	PPs Submission	The hazardous chemical handles in unit are being stored in tanks, tank farms. The unit has/will install flame arresters on all the tanks in the tank farm, and solvent transfer is done through pumps. The Details of Controls in place are given in On site emergency report. Kindly refer attachment Hazardous chemicals storage details. Complied 29-10-2025 Attachment: <a href="#">Click to View</a>
15	WASTE MANAGEMENT	Process organic residue and spent carbon, if any, shall be sent to cement industries. ETP sludge, process inorganic and evaporation salt shall be disposed off to the TSDF.	PPs Submission	We are member of Mumbai Waste Management limited (MWML) (Membership No. as TAR-1109 valid till 31st March 2026 is enclosed. The unit generates distillation residue and chemical sludge from wastewater treatment which are being disposed of regularly to MWML for incineration and landfilling. The summary of Hazardous waste disposal is given in table attachment Complied 29-10-2025 Attachment: <a href="#">Click to View</a>
16	Risk Mitigation and Disaster Management	The Company shall strictly comply with the rules and guidelines under Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) Rules, 1989 as amended time to time. All transportation of Hazardous Chemicals shall be as per the Motor Vehicle Act, 1989.	PPs Submission	Adhered by providing following facilities. 1) Fire Fighting Network as per Standards 2) PPE to All Workers 3) First Aid Measures 4) Occupational Health Centre and Availability of Doctor with nurse. 5) Ambulance in Place 6) Risk Assessment and Hazop Studies 7) On Site / Off site emergency Plan in Place and attached herewith 8) Periodic Mock Drills 9) Training and Awareness 10) Annual / Half Yearly Health Check Ups 11) Annual Safety Audits by Third Party and Submission of Compliance to Audit to DISH Office. Complied 29-10-2025 Attachment: <a href="#">Click to View</a>
17	WASTE MANAGEMENT	The company shall undertake waste minimization measures as below: - (a) Metering and control of quantities of active ingredients to minimize waste	PPs Submission	(a) All the ingredients at various stages are /will be controlled and yield /efficiencies are measured at the source and disposal point. (b) Wherever possible, the by-products are/will be recycled back i.e. From manufacturing of Metribuzin, we are recovering valuable by-product Sodium Bromide which is sold to

		(b) Reuse of by-products from the process as raw materials or as raw material substitutes in other processes (c) Use of automated filling to minimize spillage (d) Use of Close Feed system into batch reactors (e) Venting equipment through vapour recovery system (f) Use of high-pressure hoses for equipment clearing to reduce wastewater generation.		authorized end user. (c) We have /will be implemented automation in material transferring wherever possible to minimize leakage/spillage and implemented LDAR system. (d) We are/will be using closed loop feed system to transfer the material by pipelines. (e) All venting of equipment is/will be connected to condensers/ process Scrubbers to scrub excess vapor. Total 3 Vents are connected to single condensers. (f) We are/will be using high-pressure hoses for cleaning the equipment and reduce wastewater generation. Complied 29-10-2025 Attachment:NA
18	GREENBELT	The green belt of at least 5-10 m width shall be developed in more than 40 percent of the total project area, mainly along the plant periphery, in downward wind direction, and along road sides etc. Selection of plant species shall be as per the CPCB guidelines in consultation with the State Forest Department. In addition, the project proponent shall develop greenbelt outside the plant premises also such as avenue plantation, plantation in vacant areas, social forestry etc.	PPs Submission	The unit has developed total approx. 2095 sq m of green belt within the factory premises. Due to constraint of area for tree plantation, we have adopted 8000 Sq M area located in village Salwad (2 Km from plant site) for development of green belt. The copy of agreement made with gram panchayat is enclosed as Annexure Complied Complied 29-10-2025 Attachment: <a href="#">Click to View</a>
19	Corporate Environmental Responsibility	At least 5 percent of the total project cost shall be allocated for Corporate Environment Responsibility (CER) and item-wise details along with time bound action plan shall be prepared and submitted to the Ministrys Regional Office.	PPs Submission	We have obtained amendment to revision for CER percent from 5 percent to 1.5 percent as per MoEFCC OM dated 1/5/2018. We have started implementation of project and funds have been allocated for CER. The CER details are attached. Complied 29-10-2025 Attachment: <a href="#">Click to View</a>
20	Human Health Environment	Safety and visual reality training shall be provided to employees.	PPs Submission	We provide regular training and re-training to all employees for the safety and health aspects of various chemicals handled. The Unit has obtained OHSAS-18001 (Now Renamed as ISO 45001) Management System from third party. The copy of ISO - 45001 certification received and safety training is enclosed herewith. Complied 29-10-2025 Attachment: <a href="#">Click to View</a>

21	AIR QUALITY MONITORING AND PRESERVATION	For the DG sets, emission limits and the stack height shall be in conformity with the extant regulations and the CPCB guidelines. Acoustic enclosure shall be provided to DG set for controlling the noise pollution.	PPs Submission	The unit has installed 2 DG Set with 750 KVA and 500 KVA capacity which operates only in an emergency situation. We do process stack monitoring through third party for all stacks and all parameters are within permissible limit prescribed by MPCB. Summarized stack monitoring data of third party is given in attachment. All Values are well within the limits. Complied 29-10-2025 Attachment: <a href="#">Click to View</a>
22	Risk Mitigation and Disaster Management	The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Fire fighting system shall be as per the norms.	PPs Submission	Adequate fire extinguishers and fire hydrant system is installed and maintained as per the norms. The Fire Fighting Network Details are given in attached On Site Emergency Plan. Complied 29-10-2025 Attachment: <a href="#">Click to View</a>
23	Human Health Environment	Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.	PPs Submission	The company is having medical doctor and Occupational Health Center. Pre-employment and routine medical examinations are being carried out. We are also doing full body medical checkup by external expert agency every year. All medical records are being maintained. A sample copy is enclosed Complied 29-10-2025 Attachment: <a href="#">Click to View</a>
24	Statutory compliance	Continuous online (24x7) monitoring system for stack emissions shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to the CPCB and SPCB server. For online continuous monitoring of effluent, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises.	PPs Submission	The Unit has also installed online CCTV Camera and magnetic flow meter at ETP outlet line and online CCTV footage is being transmitted to CPCB/MPCB server. The Coal Fired Boiler Emissions are also connected with CPCB/MPCB Servers and Real time basis data have been transmitted. the screenshots of Real time data transmission at CPCB/MPCB server has been attached. Complied 29-10-2025 Attachment: <a href="#">Click to View</a>
25	Risk Mitigation and Disaster Management	Process safety and risk assessment studies shall be further carried out using advanced models, and the mitigating measures shall be undertaken accordingly.	PPs Submission	The Process Safety and Risk Assessment studies have been conducted with Latest Software/Models. The 3D QRA Study Report is attached. Complied 29-10-2025 Attachment: <a href="#">Click to View</a>
26	MISCELLANEOUS	In addition to the submission of mandatory submission of six-monthly compliance report, the project proponent shall also carryout third-party environmental audit on compliance every year and submit the	PPs Submission	We are submitting half yearly compliance report in December and June every year to the Ministry/SPCB/CPCB. The Third-party Environmental Audit has been carried out every Year. Unit is ISO 14001 : 2015 (Environment Management System)Certified and Every year unit is audited by third party for all compliances and improvements in Environmental Conditions of Unit. The copy of Audit Report with ISO 14001- 2015 Certificate is enclosed.

	report to the Ministry and State Pollution Control Board.	Complied 29-10-2025 Attachment: <a href="#">Click to View</a>
--	---	---

### General Conditions

Sr.No.	Condition Heading	Condition Details	Status of Compliance,Remarks / Reason and Supporting Documents
1	Statutory compliance	The grant of environmental clearance is further subject to compliance of other terms and conditions mentioned in the Ministry's OM No. 22-34/2018-IA.III dated 9th August, 2018 regarding standardization of environmental clearance conditions related to 'Pesticides industry and Pesticide specific intermediates, as applicable to the proposed project.	PPs Submission The unit is complying with Ministry's OM No. 22-34/2018-IA.III dated 9th August, 2018 regarding standardization of environmental clearance conditions related to 'Pesticides industry and Pesticide specific intermediates', as applicable to the proposed project. The compliance of the same is attached herewith. Complied 29-10-2025 Attachment: <a href="#">Click to View</a>
2	Statutory compliance	The Ministry reserves the right to stipulate additional conditions, if found necessary at subsequent stages and the project proponent shall implement all the said conditions in a time bound manner. The Ministry may revoke or suspend the environmental clearance, if implementation of any of the above conditions is not found satisfactory.	PPs Submission We have Implemented all Conditions given in EC and We agree to comply additional conditions if stipulated by MoEFCC. Complied 29-10-2025 Attachment:NA
3	Statutory compliance	Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.	PPs Submission We are submitting half yearly compliance report to MoEFCC RO Nagpur, MPCB, CPCB with due care and supporting with actual status of implementation. Complied 29-10-2025 Attachment:NA
4	Statutory compliance	Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.	PPs Submission We have not received any appeal against the EC. Complied 29-10-2025 Attachment:NA
5	Statutory compliance	The above conditions will be enforced, inter alia under the provisions of the Water (Prevention and Control of Pollution) Act, 1974, Air (Prevention and Control of Water Pollution) Act, 1981, the Environment	PPs Submission We comply the Water (Prevention and Control of Pollution) Act, 1974, Air (Prevention and Control of Water Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991. Complied

		(Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and rules.		29-10-2025 Attachment:NA
6	Statutory compliance	This issues with approval of the competent authority	PPs Submission	Noted for Compliance. Complied 29-10-2025 Attachment:NA

**Document uploaded by the PP**

**Last Site Visit Report (if available)**      NA      **Last Site Visit Report Date (if available)**      **Additional Attachment (if any)**      NA

**Additional Remarks (if any)**

I 'M/s Superform Chemistries Limited (Unit-10)' hereby give undertaking that the data and information given in the filed compliance and enclosures are true to be best of my knowledge and belief and I am aware that if any part of the data and information found to be false or misleading at any stage, the clearance given to the project will be revoked at our risk and cost. In addition to above, I hereby give undertaking that no activity such as change in project layout, construction, expansion, etc. has been taken up without due approval.

**Cover Letter From RO/SRO**

**Cover Letter From RO/SRO**

Back

**Your (Half Yearly Compliance Report) has been Submitted with following details**

<b>Proposal No</b>	IA/MH/IND3/524878/2025
<b>Compliance ID</b>	132553089
<b>Compliance Number(For Tracking)</b>	EC/M/COMPLIANCE/132553089/2025
<b>Reporting Year</b>	2025
<b>Reporting Period</b>	01 Dec(01 Apr - 30 Sep)
<b>Submission Date</b>	29-10-2025
<b>RO/SRO Name</b>	Shri Senthil Kumar Sampath
<b>RO/SRO Email</b>	agmu156@ifs.nic.in
<b>State</b>	MAHARASHTRA
<b>RO/SRO Office Address</b>	Integrated Regional Offices, Nagpur

**Note:-** SMS and E-Mail has been sent to Shri Senthil Kumar Sampath, MAHARASHTRA with Notification to Project Proponent.

Back

### View Half Yearly Compliance Report at Project Proponent

#### Proposal Details

<b>Proposal No</b>	IA/MH/IND3/524878/2025	<b>Category</b>	Industrial Projects - 3		
<b>Name of Project</b>	Environmental Clearance Transfer from M/s UPL Limited-Unit 10 to M/s Superform Chemistries Limited (Unit-10)				
<b>Plot / Survey/ Khasra No.</b>	E51-1 & 2, E52	<b>Village(s)</b>	Salwa	<b>Sub-District(s)</b>	Palghar
<b>State</b>	MAHARASHTRA	<b>District</b>	PALGHAR		
<b>MoEF File No</b>	IA-J-11011/7/2017-IA II(I)	<b>Name of the Entity/ Corporate Office</b>	M/s Superform Chemistries Limited (Unit-10)	<b>Entity's PAN</b>	*****0994M
<b>Entity Name as per PAN</b>	SUPERFORM CHEMISTRIES LIMITED	<b>Entity details mentioned above is correct ?</b>	Agree		

#### Covering Letter

**Covering Letter** [Click to View](#)

#### Compliance Reporting Details

<b>Reporting Year</b>	2025	<b>Reporting Period</b>	01 Dec(01 Apr - 30 Sep)
<b>Remark(if any)</b>	We are submitting herewith EC Half Yearly Compliance Report for the period of April-2025 to September-2025.		

#### Details of Production and Project Area

##### Date of Commencement of Project/Activity

	Project Area as per EC Granted(ha.)	Actual Project Area in Possession(ha.)
Private	0	0
Revenue Land	0	0
Forest	0	0

Others	3.3454	3.3454
Total	3.3454	3.3454

**Land Documents** NA

Sr.No.	Name of the Product	Units	As per EC Granted	As per CTO Granted	CTO ID	Valid Up To	Production during last financial year
1	Pesticides Intermediates	Tons per Annum (TPA)	18900	5568	RED/L.S.I (R37) No:- Format1.0/CC/UAN No.0000240937/CR/2505004147	30-04-2030	0
2	Pesticides Technical	Tons per Annum (TPA)	25920	12960	RED/L.S.I (R37) No:- Format1.0/CC/UAN No.0000240937/CR/2505004147	30-04-2030	3418.6

**Conditions**
**Specific Conditions**

Sr.No.	Condition Heading	Condition Details	Status of Compliance,Remarks / Reason and Supporting Documents		
1	Corporate Environmental Responsibility	At least 1.5 percent of the total project cost shall be allocated for Corporate Environment Responsibility (CER) and item-wise details along with time bound action plan shall be prepared and submitted to the Ministry's Regional Office.	<table border="1"> <tr> <td>PPs Submission</td> <td>We have started CER Activities near by areas. The CER Details is attached. Complied 29-10-2025 Attachment: <a href="#">Click to View</a></td> </tr> </table>	PPs Submission	We have started CER Activities near by areas. The CER Details is attached. Complied 29-10-2025 Attachment: <a href="#">Click to View</a>
PPs Submission	We have started CER Activities near by areas. The CER Details is attached. Complied 29-10-2025 Attachment: <a href="#">Click to View</a>				

**General Conditions**

Sr.No.	Condition Heading	Condition Details	Status of Compliance,Remarks / Reason and Supporting Documents
--------	-------------------	-------------------	--

**Document uploaded by the PP**

<b>Last Site Visit Report (if available)</b>	NA	<b>Last Site Visit Report Date (if available)</b>	<b>Additional Attachment (if any)</b>	NA
<b>Additional Remarks (if any)</b>				

I 'M/s Superform Chemistries Limited (Unit-10)' hereby give undertaking that the data and information given in the filed compliance and enclosures are true to be best of my knowledge and belief and I am aware that if any part of the data and information found to be false or misleading at any stage, the clearance given to the project will be revoked at our risk and cost. In addition to above, I hereby give undertaking that no activity such as change in project layout, construction, expansion, etc. has been taken up without due approval.

**Cover Letter From RO/SRO**

**Cover Letter From RO/SRO**

Back