

From: Purvesh Jitendra Kumar Soni/SCM/Ankleshwar
Sent: 02 November 2023 16:40
To: iro.gandhingr-mefcc@gov.in; ec-rdw.cpcb@gov.in; Sanjiv M Vaijanapurkar (GoG-GPCB Dept)
Cc: Mritunjay Chaubey/SCM/Mumbai; Vikas Garg/SCM/Mumbai; Pratik Panchal/SCM/Halol; Dharmesh Dineshchandra Soni/SCM/Halol; Harshadbhai B Patel/SCM/Halol; Kumar Om Prakash/SCM/Ankleshwar
Subject: Submission of Half yearly Compliance Report to conditions of Environmental Clearance (April 2023 to September 2023)
Attachments: UPL Unit-04 Compliance Report for the period of APR -23 to SEPT 23.pdf

Tracking:	Recipient	Delivery
	iro.gandhingr-mefcc@gov.in	
	ec-rdw.cpcb@gov.in	
	Sanjiv M Vaijanapurkar (GoG-GPCB Dept)	
	Mritunjay Chaubey/SCM/Mumbai	Delivered: 02-11-2023 16:40
	Vikas Garg/SCM/Mumbai	
	Pratik Panchal/SCM/Halol	
	Dharmesh Dineshchandra Soni/SCM/Halol	
	Harshadbhai B Patel/SCM/Halol	
	Kumar Om Prakash/SCM/Ankleshwar	Delivered: 02-11-2023 16:40

To,
Deputy Director General of Forests (C),
Ministry of Environment, Forest, and Climate Change,
Integrated Regional Office, Gandhi Nagar
A wing- 407 & 409, Aranya Bhawan,
Near CH-3 Circle, Sector-10A,
Gandhinagar-382010

By Email.

Sub: - Half yearly Compliance Report to conditions of Environmental Clearance **(April 2023 to September 2023)**

Ref: - (1) Environmental Clearance IA. J.11011/89/2020-IA. II (I) dated 26.02.2021.
(2) MoEF &CC Notification No. S.O 5845(E) dated 26th November,2018

Respected Sir,

Kindly refer above Environmental Clearance (Ref 1) granted to our Unit located at Survey No 224,225,226 and 227, Village Gopipura, Taluka Halol, District Panchmahal, Gujarat.

We are submitting herewith the half yearly compliance Report for period of **April 2023 to September 2023** in Soft Form along with covering letter to the following Environmental Clearance obtained from Ministry of Environment, Forest & Climate Change vide letter number as following: -

(1) Environmental Clearance IA. J.11011/89/2020-IA. II (I) dated 26.02.2021.

As per MoEF&CC Circular No SO 5845 (E) dated 26/11/2018, A soft copy is enclosed containing our compliance report.

Now in compliance to MOEF&CC OM No. IA3-22/1/2022-IA-III [E-172624] dated 14th June 2022, we have uploaded compliance of condition to Parivesh portal. The compliance report uploaded at portal is enclosed herewith.

We hope that the above is in order. In case you need any additional information, we can provide the same on hearing from you.

Thanking you,
Yours faithfully,
For, UPL Limited

Pratik Panchal
(Unit Head)

Encl : a/a	
Copy to:	<div>The Zonal Officer Central Pollution Control Board Parivesh Bhavan Opp VMC Ward Office # 10 SubhanPura, Vadodara – 390 023</div> <div>The Regional Officer Gujarat Pollution Control Board Halol GPCB XGN ID # 19190</div>



UPL Limited (Unit-04)
S.No.225, Village Gopipura, Ta.Halol
Dist. Panchmahal, Gujarat - 389 350, India.
M.: +91 9909994612 | www.upl-ltd.com

To,
Deputy Director General of Forests (C),
Ministry of Environment, Forest, and Climate Change,
Integrated Regional Office, Gandhi Nagar
A wing- 407 & 409, Aranya Bhawan,
Near CH-3 Circle, Sector-10A,
Gandhinagar-382010

20-10-2023

Sub: - Half yearly Compliance Report to conditions of Environmental Clearance (**April 2023 to September 2023**)

Ref: - (1) Environmental Clearance IA. J.11011/89/2020-IA. II (I) dated 26.02.2021.
(2) MoEF &CC Notification No. S.O 5845(E) dated 26th November,2018

Respected Sir,

Kindly refer above Environmental Clearance (Ref 1) granted to our Unit located at Survey No 224,225,226 and 227, Village Gopipura, Taluka Halol, District Panchmahal, Gujarat.

We are submitting herewith the half yearly compliance Report for period of **April 2023 to September 2023** in Soft Form along with covering letter to the following Environmental Clearance obtained from Ministry of Environment, Forest & Climate Change vide letter number as following: -


- (1) Environmental Clearance IA. J.11011/89/2020-IA. II (I) dated 26.02.2021.

As per MoEF&CC Circular No SO 5845 (E) dated 26/11/2018, A soft copy is enclosed containing our compliance report.

Now in compliance to MOEF&CC OM No. IA3-22/1/2022-IA-III [E-172624] dated 14th June 2022, we have uploaded compliance of condition to Parivesh portal. The compliance report uploaded at portal is enclosed herewith.

We hope that the above is in order. In case you need any additional information, we can provide the same on hearing from you.

Thanking you,
Yours faithfully,
For, UPL Limited


Pratik Panchal
(Unit Head)

Encl : a/a
Copy to:

The Zonal Officer
Central Pollution Control Board
Parivesh Bhavan
Opp VMC Ward Office # 10
SubhanPura, Vadodara - 390 023

The Regional Officer
Gujarat Pollution Control Board
Halol
GPCB XGN ID # 19190

Your application has been **Submitted** with following details

Proposal No	IA/GJ/IND2/192868/2020
Compliance ID	16930860
Compliance Number(For Tracking)	EC/M/COMPLIANCE/16930860/2023
Reporting Year	2023
Reporting Period	01 Dec(01 Apr - 30 Sep)
Submission Date	02-11-2023
IRO Name	Shrawan Kumar Verma
IRO Email	kr099.ifs@nic.in
State	GUJARAT
IRO Office Address	Budgam
Note:- SMS and E-Mail has been sent to Shrawan Kumar Verma, GUJARAT with Notification to Project Proponent.	

Home |

Environment Clearance ▾

Forest Clearance ▾

Wildlife Clearance ▾

CRZ Clearance ▾

Go To
Privesh
2.0

Logout

Welcome Mr. Pratikkumar C
Panchal,PP[Back](#)

View Compliance Report at Project Proponent

Proposal Details

Proposal No	IA/GJ/IND2/192868/2020	Category	Industrial Projects - 3		
Proposal Name	Expansion of Pesticide Technical (4680 TPA), Pesticide Specific Intermediates (9600 TPA) and Synthetic Organic Chemicals (25200 TPA) Manufacturing unit at Survey No 224, 225, 226 & 227, Village Gopipura, Taluka Halol, District Panchmahal, Gujarat by M/s UPL Limited - Environmental Clearance.				
Plot / Survey/ Khasra No.		Village(s)		Sub-District(s)	
State	GUJARAT	District	PANCHMAHALS		
MoEF File No	IA-J-11011/89/2020-IA-II(I)	Name of the Entity/ Corporate Office	M/s UPL Limited	Entity's PAN	NA
Entity Name as per PAN	NA	Entity details mentioned above is correct ?	Agree		

Covering Letter

Covering Letter [Click to View](#)

Compliance Reporting Details

Reporting Year

2023

Reporting Period

01 Dec(01 Apr - 30 Sep)

Remark(if any)

We are submitting herewith Half Yearly Compliance report for the period of April-2023 to September-2023.

Details of Production and Project Area

Date of Commencement of Project/Activity

02-11-2023

	Project Area as per EC Granted(ha.)	Actual Project Area in Possession(ha.)
Private	0	0
Revenue Land	0	0
Forest	0	0
Others	0	0
Total	0	0

PRODUCTION CAPACITY							
Sr.No.	Name of the Product	Units	As per EC Granted	As per CTO Granted	CTO ID	Valid Up To	Production during last financial year
1	Pesticide Technical	Tons per Annum (TPA)	4680	1440	AWH-116114	13-05-2025	1165.925
2	Pesticide Formulation	Tons per Annum (TPA)	14040	7440	AWH-116114	13-05-2025	631.8
3	Pesticide Intermediates	Tons per Annum (TPA)	9600	1878	AWH-116114	13-05-2025	697.66

PRODUCTION CAPACITY

Sr.No.	Name of the Product	Units	As per EC Granted	As per CTO Granted	CTO ID	Valid Up To	Production during last financial year
4	Speciality Chemicals	Tons per Annum (TPA)	25200		AWH- 116114	13-05-2025	00

Conditions

Specific Conditions

Sr.No.	Condition Type	Condition Details	Status of Compliance,Remarks/Reason and Supporting Documents	
1	Statutory compliance	No banned pesticides/chemical shall be manufactured by the project proponent. No banned raw materials shall be used in the unit. The project proponent shall adhere to the notification/guidelines of the government in this regard.	PPs Submission	We do not use / produce any banned pesticides/chemicals. The commitment letter for No Banned Pesticide products is attached. Complied Attachment: Click to View
2	Statutory compliance	The company shall comply with all the environmental protection measures and safeguards proposed in the document submitted to the ministry. All the recommendation made in the EIA/EMP in respect of environmental management and risk mitigation measures relating to the project shall be implemented.	PPs Submission	We have provided suitable bag filter, scrubber for stackemission control, Full-fledged ETP with ZLD for EffluentTreatment & Storage / Disposal of Hazardous Waste,Ground Water level Monitoring etc. Complied Attachment: NA

3	WATER QUALITY MONITORING AND PRESERVATION	As already committed by the project proponent, zero liquid discharge shall be ensured, and no waste/treated water shall be discharged outside the premises. treated effluent shall be reused in the process/utilities. Treated industrial effluent shall not be used for gardening/greenbelt development/horticulture.	PPs Submission	The Unit is Zero Liquid Discharge. No Treated Waste Water is Discharged Outside the premises and treated effluent is reused in process/utilities within the plant premises only. The ZLD deatils and ETP monitoring reports are attached. Complied Attachment: Click to View
4	Risk Mitigation and Disaster Management	The storage of toxic/hazardous raw material shall be bare minimum with respect to quantity and inventory. quantity and days of storage shall be submitted to the regional office of ministry and SPCB along with the compliance report.	PPs Submission	Complied. The storage of toxic/Hazardous chemicals is /will be minimum with respect to quantity and inventory. The detail of Existing Storage is given in attachment. Complied Attachment: Click to View
5	Human Health Environment	"Occupational health center for surveillance of the worker? s health shall be set up. The health data shall be used in deploying the duties of the workers. Worker & employees shall be provided with required safety kits/mask for personal protection. "	PPs Submission	The unit has Occupational Health Center with Consultant Medical staff. The annual medical checkup and health data are being maintained and duties of workers is assigned based on Health status. Complied Attachment: Click to View
6	Human Health Environment	Training shall be imparted to all employees on safety and health aspects of chemical handling. safety and visual reality training shall be provided to employees.	PPs Submission	The external and internal training on safety and health aspects of handling chemicals is imparted to all employees and workmen. The training records are maintained. The training details is attached. Complied Attachment: Click to View

7	Risk Mitigation and Disaster Management	Action plan for mitigation measures shall be properly implement based on the safety and risk assessment studies.	PPs Submission	Complied We have started Operations of New Constructed Plant after obtaining CTE & CTO from GPCB & Proper Safety Management systems are installed. The details of implemented action plan are given below. 1) 106 Nos Firefighting Extinguisher. 2) 3 Nos Online Sensors for Cl2 3) 2 Nos of Fire Fighting Tanks 4) 4 Nos of Process Scrubbers Agreed to Comply Attachment: NA
8	Risk Mitigation and Disaster Management	The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Fire-fighting system shall be as per the norms.	PPs Submission	The existing unit is having sufficient fire-fighting system and for proposed project the fire-fighting network has been provided for new plant area. The photographs of New Fire Fighting Network are given in attachment. Complied Attachment: Click to View
9	WASTE MANAGEMENT	The unit shall carryout HAZOP analysis and report shall be submitted to the Ministry's regional office. necessary action plan shall be implemented based on the analysis reports.	PPs Submission	Complied. We have Implemented Few EC granted products for which HAZOP Studies have been done and recommendation for same have been implemented at site. The Sample copy of Hazop for 2 CP & DCP are given in attachment. Complied Attachment: Click to View
10	MISCELLANEOUS	Solvent management shall be carried out as follows:- (a) Reactor shall be connected to chilled brine condenser system. (b) reactor and solvent handling pump shall have mechanical seals to prevent leakages. (c) solvents shall be stored in a separate space specified with all safety measures. (d) proper earthing shall be provided in all the electrical equipment wherever solvent handling is done (e)	PPs Submission	At present we have made expansions in Existing Products hence We have already implemented following solvent management plan. 1) Reactors connected with chilled brine Condenser 2) Seal Less or Mechanical Seal equipped pumps for solvent handling. 3) Storage of solvent in separate space with metered consumption. 4) Flame proof installation at PESO Storage Areas. 5) Solvent Storage tank is connected with suitable condensers. Complied Attachment: NA

		entire plant shall be flame proof. The solvent storage tanks shall be provided with breather valve to prevent losses. (f) All the solvent storage tanks shall be connected with vent condensers with chilled brine circulation.		
11	AIR QUALITY MONITORING AND PRESERVATION	Volatile organic compounds (VOCs) fugitive emission shall be controlled at 99.99% with effective chillers/modern technology.	PPs Submission	We ensure recovery of solvent & Emissions are very minimum. The Work Place Monitoring Report representing VOC Emissions is enclosed here with. Complied Attachment: Click to View
12	WATER QUALITY MONITORING AND PRESERVATION	Total fresh-water requirement shall not exceed 717 cum/day to be met from ground water. prior permission in this regard shall be obtained from the concerned regulatory authority/CGWA and renewed from time to time.	PPs Submission	Complied. At present existing water requirement is 149 KLD for Industrial Activities which is sourced from ground water. The NOC for Existing & Expansion Water Withdrawal has been obtained from CGWA with Quantity of 490 KLD. The copy of NOC is given in attachment. Complied Attachment: Click to View
13	WATER QUALITY MONITORING AND PRESERVATION	Storm water from the roof top shall be channelized through pipes to the storage tank constructed for harvesting of rain- water in the premises and harvested water shall be used for various industrial processes in the unit. No recharge shall be permitted within the premises. process effluent any wastewater shall not be allowed to mix with storm water.	PPs Submission	We have implemented 100 KLD Rainwater harvesting system. This year we have harvested 3767 M3 & The photograph showing implemented Rainwater harvesting system is given in attachment. Complied Attachment: Click to View

14	WASTE MANAGEMENT	The company shall undertake waste minimization measures as below:-(a) metering and control of quantities of active ingredients to minimize waste. (b) reuse of by-product from the process as raw material or as raw material substitutes in other processes. (c)use of automated filling to minimize spillage. (d) use of close feed system into batch reactors. (e) venting equipment through vapour recovery system. (f) use of high-pressure hoses for equipment cleaning to reduce wastewater generation.	PPs Submission	Complied. The waste minimization measures are being already implemented by unit for the existing products by recovery of valuable by products, metering of active ingredients, use of automated filling and use of High pressure hose. Complied Attachment: NA
15	GREENBELT	The green belt of at least 5-10 m width shall be developed in nearly 33% of the total project area, mainly along the plant periphery. Selection of plant species shall be as per the CPCB guideline in consultation with the state forest department. Records of tree canopy shall be monitored through remote sensing.	PPs Submission	Complied. The existing and proposed green belt details are given in attachmnet. Complied Attachment: Click to View
16	AIR QUALITY MONITORING AND PRESERVATION	Considering the location of the project site in high biodiversity area, the project proponent shall monitor the impact of emission with tolerance levels on flora and fauna of the region year wise for a period of three years after expansion project and report shall be submitted to	PPs Submission	We will conduct study after Implementation of expansions at site for consecutive three years and report will be submitted to Regional Office of the Ministry. Complied Attachment: NA

		the regional office of the ministry.		
17	PUBLIC HEARING	The activities and the action plan proposed by the project proponent to address the public hearing issues/socio-economic issues in the study area shall be completed as per the schedule presented before the committee and as described in the EMP report in letter and spirit.	PPs Submission	<p>Complied. We have started Social Forestry Project in study area and other activities have been planned as a part of area development. The copy of agreement made with local gram panchayat for social forestry and The Detailed report on Tree Plantation Project has been submitted to MoEF&CC New Delhi is given in attachment.</p> <p>Complied</p> <p>Attachment: Click to View</p>
18	MISCELLANEOUS	A separate environment manegment cell (having qualified person with environmental science/environmental engineering/specialization in the project area) equipped with full fledged laboratory facilities shall be sent to carry out the environment management and monitoring function.	PPs Submission	<p>We have a separate Environmental Management Cell in place. The details are given in attachment.</p> <p>Complied</p> <p>Attachment: Click to View</p>
19	AIR QUALITY MONITORING AND PRESERVATION	Continuous online (24x7) monitoring system for stack emission shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to the CPCB And SPCB server. For online continuous monitoring of effluent, the unit shall install web camera with night vision capability and flow meter in the channel/drain carrying effluent within the premises.	PPs Submission	<p>Complied. We have implemented ZLD for Effluent Disposal hence installed CCTV Camera and Flow Meter. The Online Data have been Transmitted at Server of GPCB & CPCB. The Screenshot of ZLD Camera and Flow is given in attachment. we are in process for installation of Continuous online (24x7) monitoring system for stack emission for measurement of flue gas discharge. After installation of monitoring system, the data will be transmitted to the SPCB and CPCB Server. The Photographs showing installation of OCEMS at Boiler stack are given in attachment. The work is under progress.</p> <p>Complied</p> <p>Attachment: Click to View</p>

General Conditions

Sr.No.	Condition Heading	Condition Details	Status of Compliance,Remarks/Reason and Supporting Documents	
1	Statutory compliance	No further expansion or modification in the plant, other than mentioned in the EIA notification,2006 and its amendment shall be carry out without prior approval of the ministry of environment, forest and climate change/SEIAA as applicable. In case of deviation or alteration in the project proposal from those submitted to this ministry for clearance a fresh reference shall be made to the ministry/SEIAA, as applicable to assess the adequacy of condition imposed and to add additional environmental protection measures required if any.	PPs Submission	Complied. No expansions or Modification in plant is carried out without prior approval from MoEF&CC, New Delhi. Complied Attachment: NA
2	Statutory compliance	The project proponent shall strictly comply with the rule and guideline issued under the manufacture, storage and import of hazardous chemical (MSIHC) rule 1989, as amended time to time, the chemical accidents (emergency, planning preparedness and response) rule 1996 and hazardous and other wastes (manegment and trance boundary	PPs Submission	Complied. We have obtained Hazardous Waste Authorization from GPCB Vide CC&A No AWH-116114, dated 04-12-2021 Valid till 13/05/2025 for Existing and Expansion Quantities. The compliance to manufacture, storage and import of hazardous chemical (MSIHC) rule 1989, as amended time to time, the chemical accidents (emergency, planning preparedness and response) rule 1996 is adhered. We have following compliances in place. 1) Onsite Emergency Plan 2) Off Site Emergency Plan 3) MSDS of Product & Raw Materials 4) TREM Cards 5) Fire Fighting Systems 6) Display of Hazards in plant areas 7) Training & Health Check ups for all employees & workers. 8) Safety Permit System Complied Attachment: NA

		movement)rule 2016 and other rule notified under various act.		
3	ENERGY PRESERVATION MEASURES	The energy source for lighting purpose shall be preferably LED based or advanced having preference in energy conservation and environment betterment.	PPs Submission	Complied. We have installed LED Based Lightings at plant and offices. The lighting details are given in attachment. Complied Attachment: Click to View
4	Noise Monitoring & Prevention	The over all noise level in and around the plant area shall be kept well within the standard by providing noise control measure including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. the environment (protection) act 1989 rule viz. 75 Dba (Night-time).	PPs Submission	Complied. The Unit has implemented noise control measures including acoustic enclosures, development of green belt, silencers etc., Overall Noise levels are well within Limit. The Noise Analysis Report and ranges are given in attachment. Complied Attachment: Click to View
5	Corporate Environmental Responsibility	The company shall undertake all relevant measures for improving the socio-economic condition of the surrounding area. The activities shall be undertaken by involving local village and administration. The company shall undertake eco-developmental measure including community welfare measures in the project area for the overall improvement of the environment.	PPs Submission	Complied. We have started Social Forestry Program in study area. The copy of Agreement made with Local Gram Panchayat and The Detailed report on Tree Plantation Project has been submitted to MoEF&CC New Delhi. The Copy of Report is given in attachment. Complied Attachment: Click to View
6	MISCELLANEOUS	The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the	PPs Submission	We have made allocation of sufficient funds towards capital cost and recurring cost per annum to implement the condition given. The EMP cost for proposed project with actual is enclosed herewith.

		condition stipulated by the Ministry of Environment, forest and climate change as well as the state government along with the implementation schedule for all the condition stipulated herein the fund so earmarked for environment manegment/pollution control measure shall not be diverted for any other purpose.		Complied Attachment: Click to View
7	MISCELLANEOUS	A copy of the clearance letter shall be sent by the project proponent to concerned panchayat, zila parishad/ municipal corporation, urban local body and the local NGO, if any from whom suggestion/representation if any were received while processing the proposal.	PPs Submission	We have submitted copy of Environmental Clearance to Local Bodies. The copy of Acknowledgement is given in attachment. Complied Attachment: Click to View
8	Statutory compliance	The project proponent shall also submit six monthly report on the status of compliance of the stipulated environment clearance condition including result of monitored data to the respective regional office of MOEF&CC the respective Zonal office of CPCB and SPCB. A copy of environmental clearance and six-monthly compliance status report shall be posted on the website of the company.	PPs Submission	Complied. We Submit Regularly Half Yearly EC Compliances to MoEF&CC/Zonal Office CPCB & GPCB. We have Posted Previous Six-Monthly Compliance Report at Our Web Portal on following link. https://www.upl-ltd.com/downloads/health-and-safety/env-policy/unit-4/U_04_EC_Half_Yearly_Compliance_Report_For_OCT_22_TO_MAR_23.pdf Complied Attachment: NA

9	Statutory compliance	The environmental statement for each financial year ending 31st march in form-v as is mandated shall be submitted to the concerned state pollution control board as prescribed under the environment (protection) rule 1986,as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance condition and shall also be sent to the respective regional office of MOEF&CC By E-mail.	PPs Submission	Complied. The Environmental Statement for FY 2022-23 attached. We submit Half Yearly EC Compliance at Parivesh Portal of MoEF&CC and Send Soft copy of EC Compliance report to Regional Office of MoEF&CC. Complied Attachment: Click to View
10	MISCELLANEOUS	The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/committee and may also be seen at website of the ministry and at https://Parivesh.nic.in/ . this shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned regional office of the ministry.	PPs Submission	Complied. The unit has published advertisement on grant of EC by MoEF&CC in two local newspapers. 1. Gujarati (Local Language) ? Gujarat Samachar dated: 01.03.2021. 2. English ? Times of India dated 01.03.2021. The copy of advertisement & copy of same has been submitted to Regional Office of MoEF&CC vide our letter dated 04/03/2021 dispatched vide speed post on 16/03/2021. The copy of letter is given below: - Gujarati (Local Language), English ? Times of India The Copy of submitted to Regional Office of MoEF&CC. Complied Attachment: Click to View

11	Statutory compliance	The project authorities shall inform the regional office as well as the ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.	PPs Submission	We have obtained EC To CTO for Existing Expansion Products with Partial Increase Vide CC&A No AWH-116114, dated 04-12-2021 Valid till 13/05/2025. Complied Attachment: NA
12	Statutory compliance	This environmental clearance is granted subject to final outcome of Hon?ble supreme court of India, Hon?ble High court, Hon?ble NGT and any other court of law if any as may be applicable to the project.	PPs Submission	Noted for Compliance. Agreed to Comply Attachment: NA

Document Upload

**Last Site Visit Report
(if available)** NA

**Last Site Visit Report
Date (if available)**

**Additional Attachment
(if any)** NA

**Additional Remarks (if
any)**

- ☒ I 'M/s UPL Limited' hereby give undertaking that the data and information given in the filed compliance and enclosures are true to be best of my knowledge and belief and I am aware that if any part of the data and information found to be false or misleading at any stage, the project will be rejected, and clearance given, if any, to the project will be revoked at our risk and cost. In addition to above, I hereby give undertaking that no activity such as change in project layout, construction, expansion, etc. has been taken up.

Back